

Annex 1. Selection of timber species for current and future harvests

The CELOS Management System uses three lists of species, which are to be logged in ongoing and future harvest operations. A list of all currently marketable species is used in the pre-felling inventory of harvestable trees. The logging company uses this inventory among others for marketing purposes, but often only part of the species inventoried can be exploited profitably. This depends, among others, on the prices on the timber market, the location of the forest (transport costs) and terrain conditions (costs of harvesting). Hence, a timber company will generally use a species list in its felling operation, which is shorter than the inventory list, and this list may vary from forest to forest and from year to year.

A third list is used in silvicultural operations. This list includes the species which are likely to contribute to the second harvest, which is foreseen after 25 years. Historical evidence has shown that it is possible to make a reasonable prediction of the future market potential of tree species, based on studies of timber characteristics: the list, used in the CELOS experiments of the 1970s included almost all species which were marketable in 2000. The few timbers which had entered the market since the 1970s and which were not on this list mostly were either rare species, which had not been adequately investigated, or species, which had been rejected because they seldom grow to timber size (see also Section 4.5).

The present CELOS list of commercial tree species (CELOS 2002) includes all timber species which are either currently on the market or have the potential to enter the market in the foreseeable future. This list, which is based solely on timber characteristics, provides a good basis for lists to be used in silvicultural operations. However, timber quality is not the sole criterion to be used for such a silvicultural list: the size which a species can attain and its growth rate are other factors to be considered. For example, a species such as *Lecythis corrugata* should not appear on such a list, although it has an attractive straight stem and produces timber of acceptable quality. This is because too few trees of this common species grow to timber size and because the species responds poorly to silvicultural treatment (see Section 4.5). Another example of a marketable species that should not be on the list is *Eperua falcata* (wallaba). This tree is mainly found in so-called savanna forest, where it can be quite common, and in marshy areas. The CSS is not meant for savanna and marsh forests however, and in mesophytic rain forest, wallaba trees remain too small and are too rare to anticipate future commercial exploitation.

An example of a species, which did not qualify for inclusion in the CELOS list of commercial species, but which may nevertheless be considered locally for the list used in silvicultural operations, is *Sclerolobium albiflorum*. This species has a limited commercial potential (see Comvalius 2001), but its exceptionally fast growth (Section 5.4) may justify such a decision, especially in forests where the species is common and where more valuable timber species are poorly represented.

Species number	Species code	Scientific name	Vernacular name	Category1
1	11560101	<i>Fagara pentandra</i>	Pritijari	Commercial A
2	11680204	<i>Qualea rosea</i>	Bergi gronfolo	Commercial A
3	11353101	<i>Peltogyne venosa</i>	Purperhart	Commercial A
4	11353201	<i>Platymiscium ulei</i>	Koenatepi	Commercial A
5	11400102	<i>Carapa guianensis</i> ; <i>C. procera</i>	Krapa	Commercial A
6	11400201	<i>Cedrela odorata</i>	Ceder	Commercial A
7	11420201	<i>Brosimum paraëense</i>	Satijnhout	Commercial A
8	11420203	<i>Brosimum guianense</i>	Letterhout	Commercial A
9	11351801	<i>Diploptropis purpurea</i>	Zwarte kabbes	Commercial A
10	11430203	<i>Virola surinamensis</i>	Laagland baboen	Commercial A
11	11351601	<i>Dicorynia guianensis</i>	Basralokus	Commercial A
12	11580301	<i>Manilkara bidentata</i>	Bolletri	Commercial A
13	11580401	<i>Micropholis guyanensis</i> var. <i>guyanensis</i>	Wit riemhout	Commercial A
14	11580402	<i>Micropholis guyanensis</i> var. <i>commixta</i>	Zwart riemhout	Commercial A
15	11590401	<i>Simarouba amara</i>	Soemaroeba	Commercial A
16	11600101	<i>Sterculia pruriens</i>	Okro oedoe	Commercial A
17	11680201	<i>Ruizterania albiflora</i>	Hoogland gronfolo	Commercial A
18	11680202	<i>Qualea coerulea</i>	Laagland gronfolo	Commercial A
19	11430201	<i>Virola michelli</i>	Hoogland baboen	Commercial A
20	11170101	<i>Goupia glabra</i>	Kopi	Commercial A
21	11020201	<i>Loxopterygium sagotii</i>	Slangenhout	Commercial A
22	11030301	<i>Xylopia aromatica</i>	Pegrekoe pisi	Commercial A
23	11080101	<i>Jacaranda copaia</i>	Goebaja	Commercial A
24	11080204	<i>Tabebuia serratifolia</i>	Groenhart	Commercial A
25	11120206	<i>Protium decandrum</i>	Grootbladige tingimoni	Commercial A
26	11120207	<i>Protium tenuifolium</i>	Harde bast tingimoni	Commercial A
27	11120301	<i>Tetragastris altissima</i>	Rode sali	Commercial A
28	11351901	<i>Dipterix odorata</i> ; <i>D. punctata</i>	Tonka	Commercial A
29	11120401	<i>Trattinnickia burserifolia</i> ; <i>T. rhoifolia</i>	Ajawatingimoni	Commercial A
30	11330503	<i>Ocotea glomerata</i>	Harde zwarte pisi	Commercial A
31	11270401	<i>Platonia insignis</i> ; <i>Rheedia benthamiana</i>	Geelhart; Pakoeli	Commercial A
32	11290101	<i>Humiria balsamifera</i>	Blakaberi; Meri	Commercial A
33	11330302	<i>Licaria canella</i> ; <i>L. cayennensis</i>	Kaneelhart	Commercial A

1 Categories: Commercial A: species on the Jonkers (1987) list of commercial species; Commercial B: other timber species currently on the market; Commercial P: potentially commercial species; Secondary species: pioneer species without commercial potential; Other: other non-commercial species.

Sustainable Management of Tropical Rainforests - the CELOS Management System

Species number	Species code	Scientific name	Vernacular name	Category1
34	11330502	<i>Ocotea globifera</i>	Harde witte pisi; Wanapisi	Commercial A
35	11330506	<i>Ocotea canaliculata</i> ; <i>O. petalantha</i>	Witte pisi	Commercial A
36	11330509	<i>Ocotea rubra</i>	Wana	Commercial A
37	11350301	<i>Parkia nitida</i>	Agrobigi	Commercial A
38	11351001	<i>Andira inermis</i> ; <i>A. surinamensis</i>	Rode kabbes	Commercial A
39	11120302	<i>Tetragastris hostmannii</i>	Tingimonisali	Commercial A
40	11680305	<i>Vochysia tomentosa</i>	Wanakwari	Commercial A
41	13060202	<i>Schefflera morototoni</i>	Kasaba oedoe	Commercial A
42	11680302	<i>Vochysia guianensis</i>	Wiswiskwari	Commercial A
43	11270601	<i>Symphonia globulifera</i>	Mataki	Commercial A
44	11330401	<i>Nectandra grandis</i>	Zachte zwarte pisi	Commercial A
45	03340201	<i>Couratari guianensis</i>	Ingipipa	Commercial B
46	04354101	<i>Vataireopsis speciosa</i>	Djongo kabisi	Commercial B
47	02352101	<i>Eperua falcata</i>	Walaba	Commercial B
48	04354001	<i>Vatairea guianensis</i>	Gele kabbes	Commercial B
49	02340403	<i>Lecythis corrugata</i>	Hoogland oemanbarklak	Commercial B
50	02120208	<i>Protium polybotryum</i>	Rode bast tingimoni	Commercial B
51	00350201	<i>Inga alba</i>	Prokoni	Commercial B
52	05420101	<i>Bagassa guianensis</i>	Kaw oedoe	Commercial P
53	04190303	<i>Terminalia dichotoma</i>	Bosamandel	Commercial P
54	04190301	<i>Terminalia amazonia</i>	Kalebashout	Commercial P
55	04080202	<i>Tabebuia capitata</i>	Makagrín	Commercial P
56	05353402	<i>Pterocarpus rohrii</i>	Hoogland bebe	Commercial P
57	05370101	<i>Antonia ovata</i>	Lika oedoe	Commercial P
58	04020401	<i>Tapirira guianensis</i>	Weti oedoe	Commercial P
59	04020103	<i>Anacardium spruceanum</i>	Boskasjoe	Commercial P
60	03580504	<i>Pouteria guianensis</i>	Jamboka	Commercial P
61	04020402	<i>Tapirira guianensis</i> var. <i>elliptica</i>	Hoogland weti oedoe	Commercial P
62	00540313	<i>Licania obidensis</i>	Kleine kwepi	Commercial P
63	04353001	<i>Ormosia coccinea</i>	Hoogland kokriki	Commercial P
64	04352401	<i>Hymenobium flavum</i>	Maka kabbes	Commercial P
65	00353505	<i>Sclerolobium paniculatum</i>	Witte djedoe	Commercial P
66	00353502	<i>Sclerolobium guianense</i>	Savanne djedoe	Commercial P
67	00352801	<i>Martusia parviflorum</i>	Bosmahonie	Commercial P
68	04430103	<i>Iryanthera sagotiana</i>	Broedoe oedoe	Commercial P
69	00160101	<i>Caryocar glabrum</i>	Gladde sopo oedoe	Commercial P

Species number	Species code	Scientific name	Vernacular name	Category1
70	00540304	<i>Licania heteromorpha</i>	Zwampanaura	Commercial P
71	00580103	<i>Chrysophyllum pomiferum</i>	Djoe bolletri	Commercial P
72	04290201	<i>Sacoglottis guianensis</i>	Bofroe oedoe	Commercial P
73	04260301	<i>Laetia procera</i>	Pintokopi	Commercial P
74	04580506	<i>Pouteria ptychandra</i>	Kimboto	Commercial P
75	04580507	<i>Pouteria cuspidata</i>	Pintobolletri	Commercial P
76	03540401	<i>Parinari campestris</i>	Rode foengoe	Commercial P
77	00160102	<i>Caryocar microcarpum</i>	Ruwe sopo oedoe	Commercial P
78	04350302	<i>Parkia pendula</i>	Kwatakama	Commercial P
79	01350602	<i>Pithecellobium corymbosum</i>	Bostamarinde	Commercial P
80	02540101	<i>Couepia caryophylloides</i>	Anaura	Commercial P
81	02120202	<i>Protium arachouchini a.o.</i>	Tingimoni	Commercial P
82	02353501	<i>Sclerobium albiflorum</i>	Rode djedoe	Commercial P
83	02340405	<i>Eschweilera odora</i>	Hoogland manbarklak	Commercial P
84	03190101	<i>Buchenavia capitata</i>	Gemberhout	Commercial P
85	04640201	<i>Lueheopsis flavescens; L. rugosa</i>	Katoen oedoe	Commercial P
86	01350604	<i>Abarema jupunda</i>	Sopo oedoe, fijnbladig	Commercial P
87	03250701	<i>Drypetes variabilis</i>	Weti foengoe	Commercial P
88	01330504	<i>Ocotea oblonga</i>	Zilverpisi	Commercial P
89	02353504	<i>Sclerobium micropetalum</i>	Zwarte djedoe	Commercial P
90	03350101	<i>Balizia pedicellaris</i>	Tamaren prokoni	Commercial P
91	03350501	<i>Piptadenia suaveolens</i>	Pikinmisiki	Commercial P
92	03350606	<i>Pithecellobium pedicellaris</i>	Tamaren prokoni	Commercial P
93	03540302	<i>Licania majuscula</i>	Foengoe	Commercial P
94	01040201	<i>Aspidosperma cruentum</i>	Kromanti kopi	Commercial P
95	00450601	<i>Myrcia sylvatica</i>	Savannegujave	Other
96	02353503	<i>Sclerobium melinonii</i>	Djadidja	Other
97	00550301	<i>Chimarrhis turbinata</i>	Sinja oedoe	Other
98	00550401	<i>Coussarea paniculata</i>	Boskoffie	Other
99	02353603	<i>Swartzia benthamiana</i>	Bergi bebe	Other
100	00540704	<i>Hirtella racemosa</i>	Behaarde kwepi	Other
101	00540601	<i>Excello dendron barbatum</i>	Rode kwepi	Other
102	03040401	<i>Couma guianensis</i>	Pera	Other
103	00450602	<i>Myrcia section armeriela</i>	Kronmoko	Other
104	00580102	<i>Chrysophyllum cainito</i>	Sterappel	Other
105	03250401	<i>Chaetocarpus schomburgkianus</i>	Fomang	Other

Sustainable Management of Tropical Rainforests - the CELOS Management System

Species number	Species code	Scientific name	Vernacular name	Category1
106	00421001	<i>Trynatococcus amazonicus</i>	Olie oedoe	Other
107	03310301	<i>Poraqueiba guianensis</i>	Witte bast jakanta	Other
108	00400403	<i>Trichilia propingue</i>	Melisali	Other
109	03040801	<i>Macoubea guianensis</i>	Sokosoko mapa	Other
110	00670201	<i>Rinorea spp.</i>	Lele tiki	Other
111	01030302	<i>Xylopia longifolia</i>	Hoogland pegrekoe	Other
112	01270503	<i>Rheedia macrophylla</i>	Hoogland pakoeli	Other
113	03540306	<i>Licania incana</i>	Sabana foengoe	Other
114	03540309	<i>Licania micrantha</i>	Zwarte foengoe	Other
115	03540312	<i>Licania stricta</i>	Kleinbladige zwarte foengoe	Other
116	01330101	<i>Aniba hostmanniana</i>	Waikara pisi	Other
117	01330303	<i>Licaria guianensis</i>	Kaneel pisi	Other
118	01330510	<i>Ocotea schomburgkiana</i>	Savanne pisi	Other
119	01350607	<i>Pithecellobium racemosum</i>	Fijnbladige rode kabbes	Other
120	00570502	<i>Talisia pedicularis</i>	Bosknippa	Other
121	00670202	<i>Rinorea passoura</i>	Manari tiki	Other
122	02340408	<i>Eschweilera subglandulosa</i>	Manbarklak	Other
123	01430202	<i>Virola sebifera</i>	Pintri baboen	Other
124	00670102	<i>Paypayrola guianensis</i>	Taja oedoe	Secondary sp.
125	00670101	<i>Paypayrola confectiflora</i>	Asisi oedoe	Other
126	00581001	<i>Achrouteria pomifera</i>	Laurierkers	Other
127	02120204	<i>Protium heptaphyllum</i>	Kleinbladige tingimoni	Secondary sp.
128	00580201	<i>Ecclinusa cuneifolium</i>	Kwatta bobbi	Other
129	02340404	<i>Eschweilera longipes</i>	Berg manbarklak	Other
130	00570503	<i>Talisia spec.</i>	Jan Krappa	Other
131	03540402	<i>Parinari excelsa</i>	Kleinbladige rode foengoe	Other
132	01420601	<i>Perebea laurifolia</i>	Manletterhout	Other
133	00730101	<i>Piper aduncum</i>	Mananesiwiwiri	Secondary sp.
134	00110102	<i>Cordia nodosa</i>	Knooptafelboom	Secondary sp.
135	4380201	<i>unknown species2</i>	Unknown	Other
136	330601	<i>unknown species2</i>	Unknown	Other
137	05220101	<i>Diospyros guianensis</i>	Blaka oema	Other
138	00040202	<i>Aspidosperma exelsum</i>	Zwart parelhout	Secondary sp.
139	00041001	<i>Bonafousia undulata</i>	Merki tiki	Other
140	04110101	<i>Cordia alliodora</i>	Tafelboom	Other

Species number	Species code	Scientific name	Vernacular name	Category1
141	460601	<i>unknown species2</i>	Unknown	Other
142	02340401	<i>Eschweilera amara</i>	Bergoemanbarklak	Other
143	50610810	<i>Solanum americanum</i>	Ajoenawiwiri	Other
144	00690101	<i>Duratea castaneifolia</i>	Hei oedoe	Other
145	00480301	<i>Heisteria cauliflora</i>	Bosdruf	Other
146	00340409	<i>Eschweilera labriculata</i>	Dwergoemanbarklak	Other
147	00270801	<i>Vismia angusta</i>	Manpinja	Other
148	00250201	<i>Alchorneopsis trimera</i>	Manbebe	Secondary sp.
149	99999999	<i>unknown species</i>	Unknown	Other
150	06040203	<i>Aspidosperma marcgravianum</i>	Wit parelhout	Other
151	02120101	<i>Hemicrepidosperrum rhoifolium</i>	Getande tingimoni	Other
152	00220102	<i>Diospyros cauliflora</i>	Awariston	Other
153	70551202	<i>Psychotria cuspidata</i>	Witte bofroekasaba	Other
154	60410101	<i>Abuta grandifolia</i>	Kapoeasiri	Other
155	00030401	<i>Anaxogorea mutica</i>	Jari jari	Other
156	00680301	<i>Vochysia densiflora</i>	Appelkwari	Other
157	00630101	<i>Siparuna guianensis</i>	Jarakopi	Secondary sp.
158	00550801	<i>Isertia coccinea</i>	Kandra oedoe	Other
159	00450702	<i>Calycorectes bergii</i>	Bosgujave	Other
160	4380301	<i>unknown species10</i>	Unknown	Other
161	00450301	<i>Calythranthes speciosa</i>	Labawala	Other
162	05500101	<i>Coccoloba latifolia</i>	Bradilifi	Other
163	99999998	<i>unknown species</i>	Unknown	Other
164	99999997	<i>unknown species</i>	Unknown	Other
165	99999996	<i>unknown species</i>	Unknown	Other
166	99999995	<i>unknown species</i>	Unknown	Other
167	99999994	<i>unknown species</i>	Unknown	Other
168	70610101	<i>Brunfelsia guianensis</i>	Manbitawiwiri	Other
169	540702	<i>unknown species2</i>	Unknown	Other
170	00450501	<i>Marlierea montana</i>	Kwakoe	Other
171	00270802	<i>Vismia cayennensis</i>	Pinja	Secondary sp.
172	05550201	<i>Capirona surinamensis</i>	Dede oedoe	Other
173	00200101	<i>Tapura guianensis</i>	Pakira tiki	Other
174	00200102	<i>Tapura capitulifera</i>	Bergi pakira tiki	Other
175	00230103	<i>Sloanea trichosticha</i>	Ravenjang	Other
176	00250501	<i>Conceveiba guianensis</i>	Hoogland panta	Other

Sustainable Management of Tropical Rainforests - the CELOS Management System

Species number	Species code	Scientific name	Vernacular name	Category1
177	00251801	<i>Mabea piriri</i>	Koto tiki	Other
178	00110107	<i>Cordia laevifrons</i>	Hoogland tafelboom	Other
179	00270201	<i>Caraipa densiflora</i>	Laksiri	Other
180	01020202	<i>Loxopterygium spec.</i>	Hoogland slangenhout	Other
181	00310101	<i>Dendrobanjia boliviana</i>	Rode bast jakanta	Other
182	00330507	<i>Ocotea puberula</i>	Papaja pisi	Other
183	00330508	<i>Ocotea spec.</i>	Kras pisi	Other
184	00351703	<i>Dimorphandra pullei</i>	Pesi oedoe	Other
185	70730199	<i>Piper spec.</i>	Anesiwiwiri	Secondary sp.
186	00353601	<i>Swartzia arborescens</i>	Alanja oedoe	Other
187	00330403	<i>Nectandra pisi</i>	Zwarte pisi	Other
188	00251905	<i>Pogonophera schomburgkiana</i>	Geri oedoe	Other
189	05340502	<i>Gustavia hexapetala</i>	Konkoni oedoe, hoogland	Other
190	00355101	<i>Martiodendron parviflorum</i>	Witte pintolocus	Other
191	05460102	<i>Guapira spec.</i>	Prasara oedoe	Other
192	05460101	<i>Guapira olfersiana</i>	Njamsi oedoe	Other
193	05430101	<i>Iryanthera hostmannii</i>	Sre bebe	Other
194	05400401	<i>Trichilia roraimana</i>	Sorosali	Other
195	05380102	<i>Byrsonima spicata</i>	Lonto kasi	Secondary sp.
196	05353801	<i>Tachigalia paniculata</i>	Djedoe	Other
197	05550101	<i>Amajoua guianensis</i>	Marmeldoos	Other
198	05340501	<i>Gustavia augusta</i>	Konkoni oedoe, laagland	Other
199	00330104	<i>Aniba taubertiana</i>	Pisi	Other
200	05260102	<i>Casearea javitensis</i>	Oema oedoe	Other
201	05260101	<i>Casearea arborea</i>	Redi oedoe	Other
202	05230102	<i>Sloanea grandiflora</i>	Boskoeswe, kleinbladig	Other
203	05230101	<i>Sloanea eichleri</i>	Rafroe njanjan	Other
204	05150201	<i>Jacaratia spinosa</i>	Awara oedoe	Other
205	00090101	<i>Bixa orellana</i>	Boskoeswe	Other
206	05360101	<i>Hebepetalum humerifolium</i>	Pakira oedoe	Other
207	00550901	<i>Palicourea guianensis</i>	Panga panga	Secondary sp.
208	00390301	<i>Bellucia grossularioides</i>	Gewone mispel	Other
209	00390101	<i>Miconia spec.</i>	Mispel	Secondary sp.
210	04580501	<i>Pouteria cladantha</i>	Zwarte jamboka	Other
211	04390201	<i>Mouriri acutiflora</i>	Spikri oedoe	Secondary sp.
212	04420302	<i>Cecropia sciadophylla</i>	Manbospapaja	Secondary sp.

Species number	Species code	Scientific name	Vernacular name	Category1
213	04420304	<i>Cecropia peltata</i>	Boroma	Secondary sp.
214	04420801	<i>Pourouma spp.</i>	Granbospapaja	Secondary sp.
215	04450401	<i>Eugenia coffeifolia</i>	Boskers	Other
216	04480101	<i>Chaunochiton kappleri</i>	Patakwama	Other
217	04480201	<i>Minquartia guianensis</i>	Alata oedoe	Other
218	04540301	<i>Licania apetala</i>	Kwepi	Other
219	04540310	<i>Licania ovalifolia</i>	Santi oedoe	Other
220	04540501	<i>Prunus myrtifolia</i>	Amandelhout	Other
221	04420202	<i>Brosimum parinarioides</i>	Doekali	Other
222	04580101	<i>Chrysophyllum auratum</i>	Bosappel	Other
223	04400301	<i>Guarea guarea</i>	Doifisiri	Other
224	04580503	<i>Pouteria gonggrijpii</i>	Apra oedoe	Other
225	04580512	<i>Pouteria spec. 1</i>	Witte jamboka	Other
226	04580514	<i>Pouteria spec. 2</i>	Zwarte pintobolletri	Other
227	04620101	<i>Laplacea fructicosa</i>	Swa oedoe	Other
228	04640101	<i>Apeiba echinata</i>	Kankan oedoe	Other
229	04650101	<i>Ampelocera edentula</i>	Kwaskwasi	Other
230	04680203	<i>Qualea dinizii</i>	Gujavekwari	Other
231	04400302	<i>Guarea kunthiana</i>	Zwarte doifisiri	Other
232	04640102	<i>Apeiba tibourbou</i>	Fokofoko oedoe	Other
233	04570501	<i>Talisia megaphylla</i>	Bosknippa	Other
234	04570201	<i>Cupania hirsuta</i>	Gawetri	Secondary sp.
235	04260302	<i>Laetia spec.</i>	Hoogland pinto kopi	Secondary sp.
236	04040101	<i>Ambelania acida</i>	Batbati	Other
237	04040501	<i>Geissospermum sericeum</i>	Bergibita	Other
238	04100102	<i>Bombax crassum</i>	Boskatoen	Other
239	04170201	<i>Maytenus myrsinoides</i>	Zoutmeti oedoe	Other
240	04220103	<i>Diospyros spec.</i>	Pikapika	Other
241	04250601	<i>Croton matourensis</i>	Tabakabron	Other
242	04250801	<i>Hevea guianensis</i>	Hevea	Other
243	04251001	<i>Hyeronima laxiflora</i>	Ajo ajo	Other
244	04251101	<i>Maprounea guianensis</i>	Pikin tiki	Secondary sp.
245	04251201	<i>Pera bicolor</i>	Pepre oedoe	Other
246	04420301	<i>Cecropia obtusa</i>	Bospapaja	Secondary sp.
247	04251602	<i>Sapium klotzschgianum</i>	Merki oedoe	Other
248	04030101	<i>Annona montana</i>	Boszuurzak	Secondary sp.

Sustainable Management of Tropical Rainforests - the CELOS Management System

Species number	Species code	Scientific name	Vernacular name	Category1
249	04270701	<i>Tovomita choisyana</i>	Bosmangro	Other
250	04340402	<i>Eschweilera chartacea</i>	Rode bast tite oedoe	Other
251	04340406	<i>Eschweilera poiteaui</i>	Gele bast tite oedoe	Other
252	04340407	<i>Lecythis simiorum</i>	Witte bast tite oedoe	Other
253	04350202	<i>Inga spp.</i>	Swietbonki	Secondary sp.
254	04350901	<i>Alexa wachenheimii</i>	Neke oedoe	Other
255	04351201	<i>Copaifera guianensis</i>	Hoepelhout	Other
256	04352701	<i>Macrobium angustifolium</i>	Watrabiri	Other
257	04353004	<i>Ormosia paraensis</i>	Kokikri	Other
258	04353607	<i>Swartzia remigifer</i>	Boegoeboegoe	Other
259	04251601	<i>Sapium aubletianum</i>	Gomhout	Other

References

- CELOS 2002. CELOS-list of commercial tree species 2000. CELOS, Paramaribo, Suriname.
- Comvalius, L.B. 2001. Surinamese timber species: characteristics and utilization. CELOS, Paramaribo, Suriname.

Annex 2. Publications and reports resulting from the CELOS Management System (CMS) programme

- Anonymous. 2001. The impact of logging and CELOS silvicultural treatments on biodiversity: Observations of rainforest biodiversity in Suriname, Preliminary findings, September 2001. Report for WWF-GEFCP, National Zoological Collection (NZCS) and National Herbarium (BBS). University of Suriname, Paramaribo, Suriname.
- Anonymous. 2006. Preparing the study on practical scale operations of CMS, Final project document. FSS/PHS, Paramaribo, Suriname.
- Betlem, J.L. 1983. Overzicht van de permanente proefperken van het project LH/UvS 01. CELOS rapporten 137. CELOS, Paramaribo, Suriname.
- Bhadran, C.A.R. 1965. The introduction of regular forest management. Report to the Government of Suriname, FAO, Rome, Italy.
- Bodegom, A.J. van,. 1981a. Inversieniveaus en driehoekshypothese. Student report, Wageningen University, Wageningen, The Netherlands.
- Bodegom, A.J. van,. 1981b. Natural regeneration and increment. Internal student report, CELOS, Paramaribo, Suriname.
- Bodegom, A.J. van,. 1982. Gevolgen van selectieve exploitatie in het mesofytisch regenwoud te Sarwa, Suriname: de eerste 14 jaar. Student report, Wageningen University, Wageningen, The Netherlands.
- Bodegom, A.J. van, & De Graaf, N.R. 1991. The CELOS Management System: A provisional manual. IKC-NBLF-LNV, Wageningen University and Foundation BOS. Wageningen, The Netherlands.
- Bodegom, A.J. van, & De Graaf, N.R. 1994. Sistema CELOS de manejo: manual preliminar. Workdocument IKC 65. IKC-NBLF, Wageningen, The Netherlands.
- Boer, K. 1982a. Beschrijving van 16 diepboringen van hydrologische proef 78/34. Internal report, CELOS, Paramaribo, Suriname.
- Boer, K. 1982b. Landmeetkundige opname Z.O. kwadrant hydrologische proef 78/34. Internal report, CELOS, Paramaribo, Suriname.
- Boerboom, J.H.A. 1965. De natuurlijke regeneratie van het Surinaamse mesofytische bos na uitkap = The natural regeneration of the mesophytic forest (tropical rain forest) of Surinam after exploitation = La regeneracion natural de la selva mesofytica tropical de Surinam despues de su aprobe - chamineto. Wageningen University, Wageningen, The Netherlands.
- Boerboom, T., Kruijt, B. & Muller, H.J. 1987. De invloed van veranderingen in bodemomstandigheden, zaadbeschikbaarheid en licht- en microklimaat op de vegetatieontwikkeling. Student report, Wageningen University, Wageningen, The Netherlands.
- Boxman, O., De Graaf, N.R., Hendrison, J., Jonkers, W.B.J., Poels, R.L.H., Schmidt, P., Tjon & Lim Sang, R. 1985. Towards sustained timber production from tropical rain forests in Suriname. Neth. J. of Agric. Sc. 33, 125-132.

- Boxman, O., De Graaf, N.R., Hendrison, J., Jonkers, W.B.J., Poels, R.L.H., Schmidt, P. & Tjon Lim Sang, R. 1987. Forest land use in Suriname. In: Beusekom, C.F. van, Goor, C.P. van, Schmidt, P. (Eds), Wise utilization of tropical rain forest lands. Tropenbos, Scientific Series 1, Wageningen, The Netherlands, 119-129.
- Bruin, L.H.P. & Tjoe-Awie, E.C. 1980. De bodemgesteldheid van het proefcentrum Kabo (verslag van een detailbodemkartering). Report 69, Dienst Bodemkartering, Paramaribo, Suriname.
- Busink, R.L. 1981. Stand structure and phytomass in unexploited forest at Kabo, (experiments 78/21 and 78/22), 1978/1979: interim report of the first results. Student report, Wageningen University, Wageningen, The Netherlands.
- Carilho, S.T., 1983. Stage-rapport (CELOS). Internal student report, CELOS, Paramaribo, Suriname.
- Carvalho, J.O.P. de, Silva, J.N.M., Lopes, J. do C.A., Costa, H. B. da, Valcarcel, V.J. & De Graaf, N.R. 1984. Estudio de la reduccion de densidad en un bosque tropical humedo denso debido a la exploracion mecanizada. Nota Technica, IICA Tropicos Informacion al dya, Alerta, Dasonomos. Nos 22 23, 7 - 12.
- Catelan Febrero, R.L. 1984. Report of a study practice in Suriname. Internal student report, Wageningen University, Wageningen, The Netherlands.
- CELOS, 1967 – 1983. CELOS kwartaalverslagen 1-67. CELOS, Paramaribo, Suriname.
- CELOS, 1972 - 1976. Report for the year 1971, 1972, 1973, 1974 of the Centre for Agricultural Research in Suriname. Wageningen University, Wageningen, The Netherlands.
- De Graaf, N.R. 1969. Aantekeningen praktijktijd Suriname, 1967-1968. Internal student report, Wageningen University, Wageningen, The Netherlands.
- De Graaf, N.R. 1976. Growth and mortality of valuable timber species in worked out and successively naturally regenerated mesophytic forest in Surinam. Internal report, CELOS, Paramaribo, Suriname.
- De Graaf, N.R. 1982. Sustained timber production in the tropical rainforest of Suriname. In: Wienk, J.F., Wit, H.A. de (Eds.), Proceedings of the joint workshop on 'Management of the low fertility acid soils oft the American humid tropics'. San José, Costa Rica, 175-190.
- De Graaf, N.R. 1983. Bosbouw in tropish regenwoud in Suriname. Ned. Bosb. Tijds 55, 199-211.
- De Graaf, N.R. 1986. A silvicultural system for natural regeneration of tropical rain forest in Suriname. Management of Tropical Rain Forest in Suriname 1. PhD Thesis Wageningen Wageningen University, Wageningen, The Netherlands.
- De Graaf, N.R. 1987a. Natural regeneration of tropical rain forest in Suriname as a land use option. Neth. J. of Agric. Sc. 35, 71 - 74.
- De Graaf, N.R. 1987b. Tropical lowland rain forest management for sustained timber production in Suriname, moulded in the CELOS management system. In: Cardozo, R., Solano, J.F. (Eds.), Memorias Reunion Nacional de Silvicultura, Bogotá, Colombia. CONIF, Serie de Documentacion 9, 67-80.

- De Graaf, N.R. 1991. Managing natural regeneration for sustained timber production in Suriname: The CELOS Silvicultural and Harvesting System. In: Gomez Pompa, A., Whitmore, T.C., Hadley, M. (Eds.), Rain forest regeneration and management. Man and the Biosphere Series, Vol. 6. UNESCO, Paris, France. 393 - 405.
- De Graaf, N.R. 1992. Secondary forest - Should it be an option in forest management in Suriname? Proceedings of the Humid Tropical Lowlands Conference: Development strategies and natural resource management. June 1991, Panama City. DESFIL, Bethesda, Maryland, USA.
- De Graaf, N.R. 1996a. Amazon high forest management for sustainable timber production: problems and options for the silviculturist in charge. In: Anonymous (Ed.), Recherche sur les écosystèmes forestiers de Guyane. Actes du Séminaire Interne de Silvolab, Avril 1994, 146.
- De Graaf, N. R. 1996b. Natural forest management for sustained timber production in the humid tropics,, with special reference to Latin America. In Schmidt, P., Schotveld, A. (Eds.) Sustainable management of the Guyana rain forest. Hinkeloord report 18, Wageningen University and National Reference Centre for Nature Management, Wageningen, The Netherlands. 17-28.
- De Graaf, N.R. 2000. Reduced impact logging as part of the domestication of neotropical rain forest. *Internat. For. Rev.* 2/10, 40-44.
- De Graaf, N.R. Filius, A.M. & Huesca Santos, A.R. 2003. Financial analysis of sustained forest management for timber. Perspectives for application of the CELOS management system in Brazilian Amazonia. *For. Ecol. Man.* 177, 287-299.
- De Graaf, N.R. & Geerts, J.M.P. 1976. Techniek natuurlijke verjonging drooglandbos. CELOS rapporten 114. CELOS, Paramaribo, Suriname.
- De Graaf, N.R. & Hendrison, J. 1993. The quest for sustainability: silvicultural research in Suriname since 1900. In Wood, P.J., Vanclay, J.K., Wan Razali Wan Mohd (Eds.), Proceedings of The Tropical Silviculture Workshop IUFRO Centennial Conference. Berlin 13 September 1992, 101-111.
- De Graaf, N.R., Koning, D. & Spierings, M. 1996. Some conditions and possibilities for successful application of the CELOS Management System. *BOS NiEuWSLETTER* Vol 15(2), No 34, 74-83.
- De Graaf, N.R. & Poels, R.L.H. 1990. The CELOS Management System: a polycyclic method for sustained timber production in South American rainforest. In: Anderson, A.B. (Ed.), Alternatives to deforestation: Steps toward sustainable use of the Amazon rain forest. Columbia University Press, New York, USA, 116 -127.
- De Graaf, N.R., Poels, R.L.H. & Rompaey, R.S.A.R. van,. 1999. Effect of silvicultural treatment on growth and mortality of rainforest in Surinam over long periods. *For. Ecol. Man.* 124, 123-135.
- De Graaf, N.R. & Rompaey, R.S.A.R. van,. 1992. The CELOS experiments on silviculture with natural regeneration in Suriname. Case study for the Workshop on the management and conservation of the tropical moist forest ecosystem, Cayenne, Guyane, March 1990, 17.

- De Graaf, N.R. & Vletter, J. de, 1979. Een voorlopige schatting van de aanwas aan waardevolle houtsoorten in het Mapanegebied, bij een kapcyclus van twintig jaar in hoog drooglandbos. Internal paper, CELOS, Paramaribo, Suriname.
- Dekker, M. 2001. The influence of the CELOS Silvicultural System on the occurrence of a number of pioneer and climax tree species in the tropical rain forest of Suriname. Student report, Wageningen University, Wageningen, The Netherlands.
- Dekker, M., & De Graaf, N.R. 2003. Pioneer and climax tree regeneration following selective logging with silviculture in Suriname. For. Ecol. Man. 172, 183-190.
- Dijn, B. de, 2003. Vertical stratification of flying insects in a Suriname lowland rainforest. In: Basset, Y., Novotny, V., Miller, S.E., Kitching, R.I. (eds.) Antropods in tropical forests. Cambridge university perss, Cambridge, UK, 110-122.
- FAO, 1993. Case study No. 1: Suriname – the CELOS Management System. In: FAO, Management and conservation of closed forest in tropical America. FAO Forestry paper 101, Rome, Italy.
- Fraser, A.I., Busby, R.J.N. & Paul, D.K. 1977. Forest Regeneration Suriname. International Forest Consultancy, Edinburg and Suriname Forest Service, Paramaribo, Suriname.
- Frete, J.A. de., 1984. Micromorfologie van een Oxisol en een Ultisol uit Suriname. Internal student report, Wageningen University, Wageningen, The Netherlands.
- Gelens, M.F. 1982. Een vergelijking van twee bosprofiel-tekenmethodes (Experiment 82/14): een beschouwing van bosstructuren binnen Expt. 67/9A. CELOS rapporten 135, CELOS, Paramaribo, Suriname.
- Gieteling, C.J. 1970. Groei en mortaliteit der waardehoutsoorten in geëxploiteerd en natuurlijk verjongd drooglandbos. CELOS rapporten 38, CELOS, Paramaribo, Suriname.
- Gómez Soubrier, A. 2000. The influence of CELOS silvicultural system on wood characteristics of *Tetragastris altissima*. Student report, Wageningen University, Wageningen, The Netherlands.
- Groot, D. de., 1996. Policy as a condition for good forest management. In Schmidt, P., Schotveld, A. Sustainable management of the Guyana rain forest. Hinkeloord report 18, Wageningen University and National Reference Centre for Nature Management, Wageningen, The Netherlands, 53-57.
- Hagg, H. & Pel, M. 1985. Successie na ontbossing in het tropisch regenwoud van Suriname Student report. 2 dl. + 1 bijlage Student report, Wageningen University, Wageningen, The Netherlands.
- Hagman, F.A. & Schenk, K. 1981. Non-destructieve bepaling van de staande fytoomassa in licht geëxploiteerd bos in het Mapane gebied. Internal student report, CELOS, Paramaribo, Suriname.
- Hagman, F.A., Schenk, K. 1982. Boomdiameterbepalingen. CELOS rapporten 134, CELOS, Paramaribo, Suriname.
- Henderson, J. 1990. Damage-controlled logging in managed tropical rain forest in Suriname. Ecology and Management of Tropical Rain Forest in Suriname 4, PhD Thesis Wageningen University, Wageningen, Suriname.

- Hendrierson, J. 1996. The management of a forest venture under CELOS Management System. In Schmidt, P., Schotveld, A. (Eds.) Sustainable management of the Guyana rain forests. Hinkeloord report 18, Wageningen University and National Reference Centre for Nature Management, Wageningen, The Netherlands, 45-52.
- Hendrierson, J. & De Graaf, N.R. 1987. Algunas notas sobre el manejo del bosque tropical humedo en Surinam. Revised edition of the paper in Actas del primer seminario internacional sobre manejo de bosque tropical humedo de la region de Centro America (SEMBOTH), Esnacifor, Siguatepeque, Honduras, Noviembre 1986. Internal report, CATIE, Turrialba, Costa Rica.
- Hout, P. van der. 1983a. Aanzet tot de toepassing van directional felling bij de houtoogst in het Surinaams drooglandbos. Student report, CELOS, Paramaribo, Suriname.
- Hout, P. van der. 1983b. Techniek natuurlijke verjonging. Voorlopige evaluatie expt 67-9B. Student report, CELOS, Paramaribo, Suriname.
- Hout, P. van der. 1984. Praktijkverslag van zesmaands praktijk bij het Centrum voor Landbouwkundig Onderzoek in Suriname. Student report, Wageningen University, Wageningen, The Netherlands.
- IJssel, W.F. van. 1982. Praktijkverslag. Internal student report, CELOS, Paramaribo, Suriname.
- IJssel, W.F. van. 1983. Is het mogelijk om het arboricideverbruik bij de zuivering te verminderen? Internal student report, CELOS, Paramaribo, Suriname.
- Jansen, J.J., Bongers, F., De Graaf, N.R., Jonkers, W.B.J., Sterck, F.J., Stuiver, B.M. & Wirjosentono, J. (2005). Secondary data analysis Mapane plots 1981-1997. Internal report, CELOS, Paramaribo and Wageningen University, Wageningen, The Netherlands.
- Jonkers, W.B.J. 1974. Groei en mortaliteit der waardehoutsoorten in geëxploiteerd en natuurlijk verjongd drooglandbos: opname en verwerking 1973. CELOS rapporten 99-1, CELOS, Paramaribo, Suriname.
- Jonkers, W.B.J. 1983. Forestry research in the tropical rainforest of Suriname. BOSNiEuWSLETTER, 2(3), 10-14.
- Jonkers, W.B.J. 1984. Exploitation, natural regeneration and increment. Experimental plan and progress report on experiment 78-5. CELOS rapporten 141, CELOS, Paramaribo, Suriname.
- Jonkers, W.B.J. 1987. Vegetation structure, logging damage and silviculture in a tropical rain forest in Suriname. Ecology and Management of Tropical Rain Forest in Suriname 3. PhD Thesis, Wageningen University, Wageningen, Suriname.
- Jonkers, W.B.J. 1999. Planning for research and implementation of the CELOS forest management system. Working document project GCP/SUR/001/ NET. FAO and Ministry of Natural Resources, Paramaribo, Suriname.
- Jonkers, W.B.J. 2002. Reduced impact logging in Sarawak, Guyana and Cameroon: the reasons behind differences in approach. In Enters, T., Durst, P.B., Applegate, G.B., Kho, P.C.S, Man, G. (Eds.), Applying reduced impact logging to advance sustainable forest management. RAP Publication 2002/14. FAO, Bangkok, Thailand.

- Jonkers, W.B.J. & Hendrison, J. 1987. Prospects for sustained yield management of tropical rain forest in Suriname. In: Figueroa Colon, J.C., Wadsworth, F.H., Branham, S., (Eds.), Management of the forests of tropical America: prospects and technologies. Institute of Tropical Forestry, USDA Forest Service, Rio Piedras.
- Jonkers, W.B.J. & Schmidt, P. 1984. Ecology and timber production in tropical rainforest in Suriname. *Interciencia* 9, 290-297.
- Jonkers, W.B.J., Tjon, K. & Wirjosentono, J. 2003. Long-term effects of logging in a Neotropical rain forest in Suriname. In: International expert meeting on the development and implementation of national codes of practice for forest harvesting: issues and options. International Forestry Cooperation Office, Forestry agency, Ministry of Agriculture, Forestry and Fisheries, Tokyo, Japan, 157-166.
- Jonkers, W.B.J., Tjon, K. & Wirjosentono, J. 2005. Long-term changes in selectively logged and silviculturally treated tropical rain forest in Suriname: analysis of the 1978-2000 data of Experiment 78/5. Internal report, CELOS, Paramaribo and Wageningen University, Wageningen, The Netherlands.
- Jongkind, C.C.H. 1984. Onderzoek aan het eerste jaar van de successie na kappen en branden op lokatie 'Tonka' in het tropisch regenwoud van Suriname. Student report, Wageningen University, Wageningen, The Netherlands.
- Jongkind, C.C.H. 1984. Een sleutel voor de klimmende soorten van de familie der Bignoniaceae voor Suriname. Student report, Wageningen University, Wageningen, The Netherlands.
- Kiepe, P. 1984. De stroom van water en nutriënten in het tropisch regenwoud. Internal student report, Wageningen University, Wageningen, The Netherlands.
- Leeflang, C. 1983. Is het mogelijk om het arboricide verbruik bij de zuivering te verminderen? Internal student report, CELOS, Paramaribo, Suriname.
- Leersum, G.J.R. van, 1984a. Simulation of various silvicultural treatments. Student report, Wageningen University, Wageningen, The Netherlands.
- Leersum, G.J.R. van, 1984b. Winchsystems and shortwoodlogging (Expt 82/18). Student report, Wageningen University, Wageningen, The Netherlands.
- Leersum, G.J.R. van, 1984c. Uitsleepschade (Expt. 83/12). CELOS rapporten 143, CELOS, Paramaribo, Suriname.
- Leeuwen, M.H.W. van, 1983. Relation between soil and vegetation in tropical rain forest in Suriname. Student report, Wageningen University, Wageningen, The Netherlands.
- Lenne, J.E. 1972. Verslag praktijktijd Suriname. Student report, Wageningen University, Wageningen, The Netherlands.
- Lenne, J.E. & Wiersum, K.F. 1970. Vrijstellingstechniek natuurlijk verjongd drooglandbos: onderzoekproject no. 67/9; behandeling en opname 1970. CELOS rapporten 43, CELOS, Paramaribo, Suriname.
- LH/UvS 01. 1979. Human interference in the tropical rain forest ecosystem. Annual Report for 1978, CELOS, Paramaribo, Suriname.
- LH/UvS 01. 1981. Human interference in the tropical rain forest ecosystem. Annual Report for 1979, CELOS, Paramaribo, Suriname.

- LH/UvS 01. 1982a. Human interference in the tropical rain forest ecosystem. Annual Report for 1980, CELOS, Paramaribo, Suriname.
- LH/UvS 01. 1982b. Human interference in the tropical rain forest ecosystem. Annual Report for 1981, CELOS, Paramaribo, Suriname.
- LH/UvS 01. 1983. Human interference in the tropical rain forest ecosystem. Annual Report for 1982, CELOS, Paramaribo, Suriname.
- LH/UvS 01. 1984. Human interference in the tropical rain forest ecosystem. Annual Report for 1983, CELOS, Paramaribo, Suriname.
- Mellink, W.H.H. 1981. Velschade in Surinaams drooglandbos. Student report, Wageningen University, Wageningen, The Netherlands.
- Meyenfeldt, C.F.W.M. van, 1975. Arbeidskundig onderzoek van houtteeltkundige werkzaamheden t.b.v. natuurlijke verjonging van het drooglandbos. CELOS rapporten 106, CELOS, Paramaribo, Suriname.
- Mohren, G.M.J. 1981. Kort verslag van een studiereis naar het Centrum voor Landbouwkundig Onderzoek (CELOS) te Paramaribo, Republiek Suriname, 28 januari tot 1 maart 1981. Student report, Wageningen University, Wageningen, The Netherlands.
- Mueller, U. 1998. Effects of refinements on the development of a neotropical rainforest after controlled logging in Suriname. Student report, Wageningen University, Wageningen, The Netherlands.
- Nieuwenhuis, J. 1977. Techniek natuurlijke verjonging drooglandbos: vrijstelling en grondvlakmetingen in het proefperk "Mapanebrug". Techniek natuurlijke verjonging: opname, hoogte- en grondvlakmetingen in het proefwerk "Akintosoela". CELOS rapporten 123, CELOS, Paramaribo, Suriname.
- Oosterholt, J.M. 1983. Grondvlakverloop, invasie, diametergroei en mortaliteit in het proefperk Goliath. Internal student report, CELOS, Paramaribo, Suriname.
- Oosterholt J.M., 1985. Winch systems and short wood logging: expt. 82-18. Student report, Wageningen University, Wageningen, The Netherlands.
- Ohler, F.M.J. 1980. Phytomass and mineral content in untouched forest: onderzoekproject 78/22; N, P, K, Ca en Mg gehalten in het ecosysteem ongestoord altijd groen seizoens-regenbos te Kabo. CELOS rapporten 132, CELOS, Paramaribo, Suriname.
- Ohler, F.M.J. 1981. Verslag drie maanden praktijktijd bij project LH/UvS 01. Internal student report, Wageningen University, Wageningen, The Netherlands.
- Oliemans, M.C. 1982. Verslag tropen-stage in Suriname, periode oktober 1980 – september 1981. Internal student report, CELOS, Paramaribo, Suriname.
- Poels, R.L.H. 1987. Soils, water and nutrients in a forest ecosystem in Suriname. Ecology and Management of Tropical Rain Forest in Suriname 2. PhD Thesis Wageningen Wageningen University, Wageningen, The Netherlands.
- Poels, R.L.H., De Graaf, N.R. & Wirjosentono, J. 1998. Growth and mortality of trees after various experimental silvicultural treatments for natural regeneration in Suriname. Hinkeloord report 25. Wageningen University, Wageningen, The Netherlands.

- Procter, J. 1979. Ecological research and land use planning in the Suriname rainforest: a cooperative project between Suriname and the Netherlands. In Furtado, J.I. (Ed.). Abstracts Vth International symposium of tropical ecology, Kuala Lumpur, Malaysia, 16-21 April 1979. pp 153-154
- Ramdhan, P. & Jogi, R. 1982. Schademeting bij de houtoogst in het Mapanebos. Internal student report, CELOS, Paramaribo, Suriname.
- Renes, G.J.B. 1972. Aantekeningen praktijktijd Suriname 1970 - 1971. Student report, Wageningen University, Wageningen, The Netherlands.
- Rompaey, R.S.A.R. van, 1987. Bosbouw in het tropischregenwoud: evaluatie van een vrijstellingsexperiment in Suriname. Internal report. Rijksuniversiteit Gent, Ghent.
- Scheltens, E.B. & Hetzler, J.R. 1975. Groei en mortaliteit der waardehoutsoorten in geëxploiteerd en natuurlijk verjongd drooglandbos. Techniek natuurlijke verjonging. CELOS rapporten 103, CELOS, Paramaribo, Suriname.
- Schmidt, P. 1983. Voortgangsrapport 1978 - 1982 van het project LH/UvS 01 (MAB-project 949) "Antropogene ingrepen in het ecosysteem tropisch regenwoud". CELOS rapporten 136, CELOS, Paramaribo, Suriname.
- Schmidt, P. 1995. Duurzaam bosgebruik in Suriname. In: Anonymous (Ed.), Duurzame ontwikkeling in Suriname; Het milieu: prioriteit of bijzaak. Proceedings Studiname Symposium 1995. Rotterdam, The Netherlands, 40-47.
- Schmidt, P. & Hendrison, J. 1996a. A model forest management unit as an implementing tool for the CELOS Management System. BOSNiEuWSLETTER 15(2), 84-88.
- Schmidt, P. & Hendrison, J. 1996b. Future prospects for the application of CELOS Management System. In Schmidt, P., Schotveld, A. (Eds.) Sustainable management of the Guyana rain forests. Hinkeloord report 18, Wageningen University and National Reference Centre for Nature Management, Wageningen, The Netherlands, 63-64.
- Schmidt, P. & Schotveld, A. (Eds.) 1996. Sustainable management of the Guyana rain forests. Hinkeloord report 18, Wageningen University and National Reference Centre for Nature Management, Wageningen, The Netherlands.
- Schotveld, A. 1996. Introduction. In: Schmidt, P., Schotveld, A. Sustainable management of the Guyana rain forests. Hinkeloord report 18, Wageningen University and National Reference Centre for Nature Management, Wageningen, The Netherlands, 11-12.
- Schotveld, A. & Schmidt, P. 1996a. Executive summary. In: Schmidt, P., Schotveld, A. Sustainable management of the Guyana rain forest. Hinkeloord report 18, Wageningen University and National Reference Centre for Nature Management, Wageningen, The Netherlands, 7-10.
- Schotveld, A. & Schmidt, P. 1996b. Management systems for natural tropical forests: the practical value of the CELOS Management System. BOSNiEuWSLETTER 15(2), 89-92.
- Schulz, J.P. 1960. Ecological studies on rain forest in northern Suriname. The vegetation of Suriname, vol. II. Van Eedenfonds, Amsterdam, The Netherlands.
- Schulz, J.P. 1967. La regeneracion natural de la selva mesofitica tropical de Surinam despues de su aprovechamiento = The natural regeneration of the mesophytic forest of Surinam after exploitation. CELOS bulletins 3, CELOS, Paramaribo, Suriname.

- Snieders, W. 1983. Strooiselafbraak in vier verschillend behandelde opstanden. Internal student report, CELOS, Paramaribo, Suriname.
- Staudt, F.J. 1977. Arbeidskundig onderzoek van werkzaamheden ten behoeve van natuurlijke verjonging van het drooglandbos, zuiveringsarbeid. Internal report, Wageningen University, Wageningen, The Netherlands.
- Steege, H. ter, Bongers, F. & Weger, M. 1996. Ecological constraints for forest management in the Guianas. In: Schmidt, P., Schotveld, A. (Eds.) Sustainable management of the Guyana rain forests. Hinkeloord report 18, Wageningen University and National Reference Centre for Nature Management, Wageningen, The Netherlands, 29-44.
- Steege, H. ter, Laumans, B., Laumans-Bus, D., Zondervan, G. & Bongers, F. 2003. Long-term effects of timber harvesting in Mapane – north Suriname. In: Steege, H. ter (Ed.), Long-term changes in tropical tree diversity. Tropenbos Series 22. Tropenbos International, Wageningen, The Netherlands, 79- 94.
- Steege, J.G. van der, 1983a. Bladproductie en bladfytomassa van een aantal palmsoorten van het tropisch regenbos van Suriname. CELOS rapporten 138, CELOS, Paramaribo, Suriname.
- Steege, J.G. van der, 1983b. Strooiselafbraak in vier verschillende bosopstanden. Exp. 82/9. Student report, CELOS, Paramaribo, Suriname.
- Sterringa, J.T. 1971. Een onderzoek naar de vegetatiestructuur van recent geëxploiteerd drooglandbos in het Mapane gebied, Suriname, 1968/69. Student report Wageningen University, Wageningen, The Netherlands.
- Taus, M.I. 1979. Verslag semi-detail kartering van een areaal aan de Pampoenkreek (stroomgebied Tibiti). Internal report 186, Dienst Bodemkartering, Paramaribo, Suriname.
- Tjon Lim Sang, R.J.M. 1983. Overzicht van de permanente successieproefperken van het project LH/UvS 01. Landbouwniversiteit, Wageningen, The Netherlands.
- Vester, H. 1986. Kiemecologie en zaadverspreiding in het 'CELOS Silvicultural System'. Student report, Wageningen University, Wageningen, The Netherlands.
- Vet, de, F. J. 1984. Dataverwerking in het project LH/UvS 01. CELOS rapporten 142, CELOS, Paramaribo, Suriname.
- Vierhout, J. 1983. Physical degradation of yellow kaolinitic oxisols of the Zanderij formation in Surinam: a field study. CELOS rapporten 139, CELOS, Paramaribo, Suriname.
- Vletter, J. de., 1972. Suksessie in geëxploiteerd drooglandbos: de vierde opname. CELOS rapporten 74, CELOS, Paramaribo, Suriname.
- Voordouw, J.J. 1982. Productie en minerale samenstelling van strooisel. Internal student report, CELOS, Paramaribo, Suriname.
- Voordouw, J.J. 1985. Vertical distribution of light intensity in tropical rainforest in Suriname with relation to silvicultural treatment. Student report, Wageningen University, Wageningen, The Netherlands.
- Waagmeester, N. 1996. The CELOS Management System (CMS) has to come out in the open. In Schmidt, P., Schotveld, A. (Eds.) Sustainable management of the Guyana rain forests. Hinkeloord report 18, Wageningen University and National Reference Centre for Nature Management, Wageningen, The Netherlands, 59-61.

- Walsum, P.E.V. van, 1980. Praktijktijdverslag. Internal student report, CELOS, Paramaribo, Suriname.
- Werkhoven, M., De Graaf, N.R., Jonkers, W.B.J, 1996. Surinam. In: Harcourt, C.S., Sayer, J.A. (Eds.), The conservation atlas of tropical forests: the Americas. Simon and Schuster, New York, USA. 301-310.
- Wouters, A.J.M. 1978. Techniek natuurlijke verjonging drooglandbos: tussentijdsverslag van de resultaten in de proefperk "Akintosoela". CELOS rapporten 129, CELOS, Paramaribo, Suriname.
- Zadelhoff, F.J. van, & Jonkers, W.B.J. 1974. Groei en mortaliteit der waardehoutsoorten in geëxploiteerd en natuurlijk verjongd drooglandbos: opname en verwerking 1973. CELOS rapporten 99, CELOS, Paramaribo, Suriname.
- Ziel, H. van,. 1982. Praktijkverslag. Internal student report, CELOS, Paramaribo, Suriname.
- Zondervan, G.J. 1972. Groei en mortaliteit der waardehoutsoorten in geëxploiteerd en natuurlijk verjongd drooglandbos: opname en verwerking 1971; rapportering over het verloop der werkzaamheden. CELOS rapporten 61, CELOS, Paramaribo, Suriname.
- Zondervan, G.J. 1996. Forest practice in Suriname? How it looks like and what it could be. In Schmidt, P., Schotveld, A. (Eds.) Sustainable management of the Guyana rain forests. Hinkeloord report 18, Wageningen University and National Reference Centre for Nature Management, Wageningen, The Netherlands, 13-16.
- Zwetsloot, R. 1982. Skidtrails, een inleidend onderzoek. Internal student report, CELOS, Paramaribo, Suriname.